4 St James Place PO Box 724 Seven Hills NSW 2147 Tel: (02) 9624-8988 Fax: (02) 9624-1908

MATERIAL SAFETY DATA SHEET

ISSUED: 1/11/2011

PROCUS 653HD

STATEMENT OF HAZARDOUS NATURE:

'Hazardous according to criteria of Worksafe Australia'

SECTION 1 IDENTIFICATION

U.N. Number	None
Dangerous Goods Class	None
Poisons Schedule Number	None
Hazchem Code	None

SECTION 2 COMPOSITION

Ingredients	CAS No:	Proportion %
Core wire of stainless steel flux covering, consisting of	None	>60
calcium oxide	1305-78-8	10-30
iron, powder	7439-89-6	<10
manganese	7439-96-5	<10
calcium fluoride	7789-75-5	<4
titani um dioxide	13463-67-7	<3
sodium metasilicate	1344-09-8	<3
magnesium oxide	1309-48-4	<1
welding fumes	None	
manganese fume	7439-96-5	
iron oxide fume	1309-37-1	

SECTION 3 PHYSICAL DATA

Appearance: Metallic welding electrode consisting of a powder flux extruded

Not applicable

Not applicable Not applicable

Page 1 of 1

Immiscible

around a mild steel wire.

Flash Point (deg C) Solubility in Water (g/L) Lower Explosive Limit (%) Upper Explosive Limit (%)

09-37-1 Th

SECTION 5 HEALTH HAZARD DATA

Fumes arising during welding operations may be irritating to the upper-respiratory tract and may be harmful if inhaled. Principal route of exposure is inhalation of welding fumes from electrodes and workpiece. Reaction is relative to welding conditions, volatilities of metal oxides and any coatings on the workpiece.

FIRST AID

IF SWALLOWED do NOT induce vomiting. Give a glass of water.

EYE: Immediately hold eyes open and wash continuously with running water for at least 15 minutes. Ensure irrigation under eyelids. Seek medical attention without delay.

SKIN: If product comes in contact with the skin: Wash affected areas thoroughly with soap and water

INHALATION: Remove to fresh air AND Lay patient down. Keep warm and rested. If breathing is shallow or has stopped, ensure clear airway and apply resuscitation.

SECTION 6 PRECAUTIONS FOR USE

Use Welding helmet with suitable filter or Welding hand shield with suitable filter, or Welding goggles with suitable filter . Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses con Welding Gloves Safety footwear. Overalls Eyewash unit. Aprons, sleeves, shoulder covers, leggings or spats of pliable flame resistant leather depending on working conditions.

SECTION 7 SAFE HANDLING INFORMATION

STORAGE and TRANSPORT: Store in a cool dry atmosphere. SPILLS and DISPOSAL: Scrap should be recycled TRANSPORTATION: No restrictions.

The information in this MSDS was obtained from sources we believe are reliable. However this information is provided without any representation or warranty, express or implied regarding accuracy or correctness. The conditions or methods or handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons we do not assume responsibility and expressly disclaim liability or loss, damage or expense arising from it or in any way connected with the handling, storage, use or disposal of the product.

% % % %

SECTION 4. FIRE AND EXPLOSION HAZARD DATA